

# I-LIKE INDUSTRIES LIMITED

## MATERIAL SAFETY DATA SHEET

### SPRAY PAINT (SPRAY COLOR)

\*\*\*\*\*

#### Section1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Trade Name: SPRAY PAINT

Chemical Family: Aerosol Paint

Company Identification: 3/F, Oriental Plaza, Jianshe Rd, Luohu District, Shenzhen 518001,China

Tel: +86-755-82233077 Fax: +86-755-82296093

#### Section2: COMPOSITION / INFORMATIN ON INGREDIENTS

Ingredient Name	CAS No	Contents (weight% )
Acrylic Resin	79-10-7	10-30
Dimethyl Ether	115-10-6	25-35
Toluene	10-88-3	10-20
Ethyl Acetate	141-78-6	10-30
Whiting Titanium and other color powder	NA	5-20

#### Section3: HAZARDS INDENTIFICATION

**Skin Contact:** Slight skin irritant

**Eye Contact:** Will cause irritation upon contact

#### Section4: First Aid Measures

**Skin Contact:** Wash area with soap and water. seek medical attention if irritation persists

**Eye Contact:** Immediately flush eyes with plenty of water for 15 minutes. Seek medical attention.

#### Section5: Fire Fighting Measures

Extinguishing media: CO2, powder, water spray/mist

#### Section6: Accidental Release Measures

**SPILL/LEAK PROCEDURES:** Notify safety personnel ,evacuate all unnecessary personnel and provide adequate ventilation.

**SMALL SPILLS:** Clean with inert absorbent and place in recovery drums for disposal.

---

## Section 7: Handling And Storage

**Handling Precautions:** Wash thoroughly after handling. Do not use near open flame.

**Storage Requirements:** Store in clean, dry locations away from excessive heat. Keep out of reach of children.

---

## Section 8: Exposure Controls/Personal Protection

**Engineering Controls:** Eye wash station and safety shower.

General ventilation. Material non - volatile

**Protective Equipment:**

EYE: Chemical splash goggles with indirect or no ventilation.

SKIN :Chemical resistant gloves, such as nitrile.

---

## Section 9: Physical And Chemical Properties

Appearance	coloured paint
Flash Point	N/a
Specific Gravity @ 20	N/a
Solubility	Insoluble in water; soluble in ketones/esters
Kinematic Viscosity @ 40%(mm <sup>2</sup> S-1)	N/a

---

## Section 10: Stability And Reactivity

**Stability:** Material is stable.

**Conditions to avoid:** open flame.

**Materials to avoid (incompatibility):** strong acids, strong alkalis

**Hazardous Polymerization:** Cannot occur.

---

## Section 11: Toxicological Information

There is no data Available on the product itself.

---

## Section 12: Ecological Information

There is no data available on the product itself.

---

---

### Section 13: Disposal Consideration

The product should not be allowed to enter drains or water courses or be deposited.

---

### Section 14: Transport Information

DOMESTIC: CONSUMER COMMODITY

UN Number: UN1950

Dangerous Good Class: Class 2.1

---

### Section 15: Regulatory Information

**Risk Phrases R:** Not applicable.

**Safety Phrases S:** N/A

---

### Section 16: Other Information

N/A

\*\*\*\*\*End of MSDS Document.\*\*\*\*\*