

# Material Safety Data Sheet

Product Name **MONT MARTE OIL PAINT (IVORY BLACK)**

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Supplier Name** MONT MARTE INTERNATIONAL PTY LTD  
**Address** 27 Pentex Street, Salisbury, Queensland, AUSTRALIA, 4107  
**Telephone** 07 3255 5406  
**Fax** 07 3255 5409  
**Emergency** 13 11 26  
**Synonym(s)** MONT MARTE OIL COLOUR - IVORY BLACK  
  
**Use(s)** ARTIST PAINT  
**MSDS Date** 09 Nov 2009

## 2. HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

<b>UN No.</b>	None Allocated	<b>DG Class</b>	None Allocated	<b>Subsidiary Risk(s)</b>	None Allocated
<b>Packing Group</b>	None Allocated	<b>Hazchem Code</b>	None Allocated	<b>EPG</b>	None Allocated

## 3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
CARBON BLACK	C	1333-86-4	<30%
FATTY ACIDS, LINSEED-OIL	Not Available	68424-45-3	<30%
BARIUM SULPHATE	O4-S.Ba	7727-43-7	<25%
ALUMINIUM HYDROXIDE	Al-H3-O3	21645-51-2	<15%
SILICON DIOXIDE	Si-O2	7631-86-9	<10%

## 4. FIRST AID MEASURES

**Eye** If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.

**Inhalation** If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a doctor.

**Ingestion** For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once).

**Advice to Doctor** Treat symptomatically

## 5. FIRE FIGHTING MEASURES

**Flammability** Combustible. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition. May also evolve metal oxides when heated to decomposition.

**Fire and Explosion** Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

**Extinguishing** Dry agent, carbon dioxide or foam. Prevent contamination of drains or waterways.

**Hazchem Code** None Allocated

## 6. ACCIDENTAL RELEASE MEASURES

**Spillage** Use personal protective equipment. Contain spillage, then cover / absorb spill with non-combustible absorbant material (vermiculite, sand, or similar), collect and place in suitable containers for disposal. CAUTION: Spill site may be slippery.

## 7. STORAGE AND HANDLING

**Storage** Store in a cool, dry, well ventilated area, removed from oxidising agents, acids, heat or ignition sources and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use. Large storage areas should have appropriate ventilation systems.

**Handling** Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

## 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds	Ingredient	Reference	TWA		STEL	
			ppm	mg/m3	ppm	mg/m3
	Barium sulphate	ASCC (AUS)	--	10	--	--
	Carbon black	ASCC (AUS)	--	3	--	--

**Biological Limits** No biological limit allocated.

**Engineering Controls** Avoid inhalation. Use in well ventilated areas.

**PPE** Personal Protective Equipment is not required under normal conditions of use. When using large quantities or where heavy contamination is likely, wear: splash-proof goggles and rubber or PVC gloves.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	BLACK PASTE	<b>Solubility (Water)</b>	INSOLUBLE
<b>Odour</b>	LINSEED OIL ODOUR	<b>Specific Gravity</b>	NOT AVAILABLE
<b>pH</b>	6 to 7	<b>% Volatiles</b>	NOT AVAILABLE
<b>Vapour Pressure</b>	NOT AVAILABLE	<b>Flammability</b>	COMBUSTIBLE
<b>Vapour Density</b>	NOT AVAILABLE	<b>Flash Point</b>	240°C
<b>Boiling Point</b>	> 200°C	<b>Upper Explosion Limit</b>	NOT AVAILABLE
<b>Melting Point</b>	NOT AVAILABLE	<b>Lower Explosion Limit</b>	NOT AVAILABLE
<b>Evaporation Rate</b>	NOT AVAILABLE		
<b>Density</b>	1.1 g/mL to 1.5 g/mL		

## 10. STABILITY AND REACTIVITY

**Chemical Stability** Stable under recommended conditions of storage.

**Conditions to Avoid** Avoid heat, sparks, open flames and other ignition sources.

**Material to Avoid** Incompatible with oxidising agents (eg. hypochlorites) and acids (eg. nitric acid).

**Hazardous Decomposition Products** May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition. May also evolve metal oxides when heated to decomposition.

**Hazardous Reactions** Polymerization is not expected to occur.

## 11. TOXICOLOGICAL INFORMATION

**Health Hazard Summary** Low toxicity. Under normal conditions of use, adverse health effects are not anticipated. Due to the product form and low volatility, an inhalation hazard is not anticipated unless product is heated. This product contains Carbon black but due to product form, no adverse health effects are anticipated. Carbon black is classified as possibly carcinogenic to humans (IARC Group 2B).

**Eye** Low to moderate irritant. Contact may result in irritation, lacrimation, pain and redness.

**Inhalation** Exposure considered unlikely. Due to product form and nature of use, an inhalation hazard is not anticipated with normal use.

**Skin** Low irritant. Prolonged or repeated contact may result in mild irritation.

**Product Name**      **MONT MARTE OIL PAINT (IVORY BLACK)**

**Ingestion**            Low toxicity. Ingestion is considered unlikely due to product form. However, ingestion via hand-mouth transfer may result in gastrointestinal irritation, nausea and vomiting. Maintain good personal hygiene standards.

**Toxicity Data**        CARBON BLACK (1333-86-4)  
                                 Carcinogenicity: Possibly carcinogenic to humans (IARC Group 2B)  
                                 ALUMINIUM HYDROXIDE (21645-51-2)  
                                 LDLo (Intraperitoneal): 150 mg/kg (rat)  
                                 TDLo (Ingestion): 79 g/kg/2 years - intermittent (child)

---

## 12. ECOLOGICAL INFORMATION

**Environment**        Limited ecotoxicity data was available for this product at the time this report was prepared. Ensure appropriate measures are taken to prevent this product from entering the environment.

---

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal**     For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the manufacturer for additional information if larger amounts are involved.

**Legislation**         Dispose of in accordance with relevant local legislation.

---

## 14. TRANSPORT INFORMATION

### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

<b>Shipping Name</b>	None Allocated				
<b>UN No.</b>	None Allocated	<b>DG Class</b>	None Allocated	<b>Subsidiary Risk(s)</b>	None Allocated
<b>Packing Group</b>	None Allocated	<b>Hazchem Code</b>	None Allocated	<b>EPG</b>	None Allocated

---

## 15. REGULATORY INFORMATION

**Poison Schedule**    A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

**AICS**                 All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

---

## 16. OTHER INFORMATION

**Additional Information**    EXPOSURE STANDARDS - TIME WEIGHTED AVERAGES: Exposure standards are established on the premise of an 8 hour work period of normal intensity, under normal climatic conditions and where a 16 hour break between shifts exists to enable the body to eliminate absorbed contaminants. In the following circumstances, exposure standards must be reduced: strenuous work conditions; hot, humid climates; high altitude conditions; extended shifts (which increase the exposure period and shorten the period of recuperation).

**ABBREVIATIONS:**

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European INventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m3 - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

RTECS - Registry of Toxic Effects of Chemical Substances.

TWA/ES - Time Weighted Average or Exposure Standard.

**HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

**PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:**

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only.

**Product Name**      **MONT MARTE OIL PAINT (IVORY BLACK)**

Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**Report Status**      This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Material Safety Data Sheet ('MSDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this MSDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this MSDS.

**Prepared By**      Risk Management Technologies  
5 Ventnor Ave, West Perth  
Western Australia 6005  
Phone: +61 8 9322 1711  
Fax: +61 8 9322 1794  
Email: info@rmt.com.au  
Web: www.rmt.com.au

**MSDS Date:** 09 Nov 2009

**End of Report**