# **Material Safety Data Sheet**

Product Name MONT MARTE GESSO

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name MONT MARTE INTERNATIONAL PTY LTD

Address 27 Pentex Street, Salisbury, Queensland, AUSTRALIA, 4107

 Telephone
 07 3255 5406

 Fax
 07 3255 5409

 Emergency
 13 11 26

Synonym(s) MONT MARTE GESSO

Use(s) ARTIST PAINT

MSDS Date 13 Oct 2009

## 2. HAZARDS IDENTIFICATION

#### NOT CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA

## NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No.None AllocatedDG ClassNone AllocatedSubsidiary Risk(s)None AllocatedPacking GroupNone AllocatedHazchem CodeNone AllocatedEPGNone Allocated

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Ingredient                    | Formula       | CAS No.       | Content   |
|-------------------------------|---------------|---------------|-----------|
| ACRYLIC POLYMER(S)            | Not Available | Not Available | <50%      |
| BARIUM ZINC SULPHATE SULPHIDE | Not Available | 1345-05-7     | <15%      |
| TITANIUM DIOXIDE              | Ti-O2         | 13463-67-7    | <15%      |
| ADDITIVE(S)                   | Not Available | Not Available | remainder |

## 4. FIRST AID MEASURES

Eye If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to

stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

Skin If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue

flushing with water until advised to stop by the Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed,

do not induce vomiting.

Advice to Doctor Treat symptomatically

## 5. FIRE FIGHTING MEASURES

Flammability Combustible. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.

**Fire and** Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind **Explosion** and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing

Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.

**Extinguishing** Dry agent, carbon dioxide or water fog. Prevent contamination of drains or waterways.

Hazchem Code None Allocated

Page 1 of 4 RMT

Reviewed: 13 Oct 2009 Printed: 19 Oct 2009

## 6. ACCIDENTAL RELEASE MEASURES

**Spillage** 

Contact emergency services where appropriate. Use personal protective equipment. Clear area of all unprotected personnel. Ventilate area where possible. Contain spillage, then cover / absorb spill with non-combustible absorbant material (vermiculite, sand, or similar), collect and place in suitable containers for disposal. Prevent spill entering drains or waterways.

## 7. STORAGE AND HANDLING

Storage Store in a cool, dry, well ventilated area, removed from oxidising agents, alkalis, acids and foodstuffs. Ensure

containers are adequately labelled, protected from physical damage and sealed when not in use.

Handling Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin

contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating,

drinking and smoking in contaminated areas.

# 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

**Exposure Stds** 

| I | ngredient            | Reference  | TWA |       | STEL |       |
|---|----------------------|------------|-----|-------|------|-------|
|   |                      |            | ppm | mg/m3 | ppm  | mg/m3 |
|   | Titanium dioxide (a) | ASCC (AUS) |     | 10    |      |       |

Biological Limits No biological limit allocated.

Engineering Controls

Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction ventilation is

recommended.

PPE Wear splash-proof goggles and rubber or PVC gloves. Where an inhalation risk exists, wear: a Type A (Organic

vapour) respirator.





# 9. PHYSICAL AND CHEMICAL PROPERTIES

| Appearance              | PASTE         | Solubility (Water)    | INSOLUBLE     |
|-------------------------|---------------|-----------------------|---------------|
| Odour                   | ODOURLESS     | Specific Gravity      | 1.23          |
| рН                      | 7.5 to 8.0    | % Volatiles           | NOT AVAILABLE |
| Vapour Pressure         | NOT AVAILABLE | Flammability          | COMBUSTIBLE   |
| Vapour Density          | NOT AVAILABLE | Flash Point           | > 525°C       |
| <b>Boiling Point</b>    | NOT AVAILABLE | Upper Explosion Limit | NOT AVAILABLE |
| Melting Point           | NOT AVAILABLE | Lower Explosion Limit | NOT AVAILABLE |
| <b>Evaporation Rate</b> | NOT AVAILABLE |                       |               |

## 10. STABILITY AND REACTIVITY

**Chemical Stability** Stable under recommended conditions of storage.

**Conditions to Avoid** Avoid heat, sparks, open flames and other ignition sources.

Material to Avoid Incompatible with oxidising agents (eg. hypochlorites), acids (eg. nitric acid), alkalis (eg. hydroxides), heat

and ignition sources.

**Hazardous** May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.

**Decomposition Products** 

Hazardous Reactions Polymerization will not occur.

Page 2 of 4 RMT

Reviewed: 13 Oct 2009 Printed: 19 Oct 2009

CHEM ALERT

Product Name MONT MARTE GESSO

## 11. TOXICOLOGICAL INFORMATION

Health Hazard

Low toxicity - low irritant. Use safe work practices to avoid eye or skin contact and inhalation.

Summary

Eye Low to moderate irritant. Contact may result in irritation, lacrimation, pain and redness.

Inhalation Low irritant. Over exposure may result in irritation of the nose and throat, with coughing. High level exposure may

result in dizziness, nausea and headache.

**Skin** Low irritant. Prolonged or repeated contact may result in mild irritation, rash and dermatitis.

Ingestion Low toxicity. Ingestion of large quantities may result in nausea, vomiting, abdominal pain, diarrhoea, and

drowsiness. Aspiration may result in chemical pneumonitis and pulmonary oedema.

Toxicity Data TITANIUM DIOXIDE (13463-67-7)

TCLo (Inhalation): 250 mg/m3/6 hours (rat)

#### 12. ECOLOGICAL INFORMATION

**Environment** Limited ecotoxicity data was available for this product at the time this report was prepared. Ensure appropriate

measures are taken to prevent this product from entering the environment.

#### 13. DISPOSAL CONSIDERATIONS

Waste Disposal For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the

manufacturer for additional information if larger amounts are involved. Prevent contamination of drains and

waterways as aquatic life may be threatened and environmental damage may result.

**Legislation** Dispose of in accordance with relevant local legislation.

## 14. TRANSPORT INFORMATION

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name None Allocated

UN No.None AllocatedDG ClassNone AllocatedSubsidiary Risk(s)None AllocatedPacking GroupNone AllocatedHazchem CodeNone AllocatedEPGNone Allocated

#### 15. REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform

Scheduling of Drugs and Poisons (SUSDP).

All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

#### 16. OTHER INFORMATION

Additional Information

SYNERGISM - ANTAGONISM: Ingredients in this product may act together to aggravate or reduce adverse effects. Accordingly the Exposure Standard provided for single ingredients should be considered as a guide only and all due care exercised when handling.

RESPIRATORS: In general the use of respirators should be limited and engineering controls employed to avoid exposure. If respiratory equipment must be worn ensure correct respirator selection and training is undertaken. Remember that some respirators may be extremely uncomfortable when used for long periods. The use of air powered or air supplied respirators should be considered where prolonged or repeated use is necessary.

## ABBREVIATIONS:

ADB - Air-Dry Basis.

BEI - Biological Exposure Indice(s)

CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds.

CNS - Central Nervous System.

EINECS - European INventory of Existing Commercial chemical Substances.

IARC - International Agency for Research on Cancer.

M - moles per litre, a unit of concentration.

mg/m3 - Milligrams per cubic metre.

NOS - Not Otherwise Specified.

NTP - National Toxicology Program.

OSHA - Occupational Safety and Health Administration.

pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).

ppm - Parts Per Million.

Page 3 of 4

RMT

Reviewed: 13 Oct 2009 Printed: 19 Oct 2009

# Product Name MONT MARTE GESSO

RTECS - Registry of Toxic Effects of Chemical Substances. TWA/ES - Time Weighted Average or Exposure Standard.

#### **HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

#### **Report Status**

This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Material Safety Data Sheet ('MSDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this MSDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this MSDS.

# **Prepared By**

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794 Email: info@rmt.com.au

Email: info@rmt.com.au Web: www.rmt.com.au

> MSDS Date: 13 Oct 2009 End of Report

> > Page 4 of 4 RMT

Reviewed: 13 Oct 2009 Printed: 19 Oct 2009