# **Material Safety Data Sheet**

#### **Product Name**

# MONT MARTE WATERCOLOUR PAINT 12 PCE (IVORY BLACK)

## 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Supplier Name	MONT MARTE INTERNATIONAL PTY LTD
Address	27 Pentex Street, Salisbury, Queensland, AUSTRALIA, 4107
Telephone	07 3255 5406
Fax	07 3255 5409
Emergency	13 11 26
Synonym(s)	IVORY BLACK
Use(s)	ARTIST PAINT
MSDS Date	09 Nov 2009

#### 2. HAZARDS IDENTIFICATION

#### NOT CLASSIFIED AS HAZARDOUS ACCORDING TO ASCC CRITERIA

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE					
UN No.	None Allocated	DG Class	None Allocated	Subsidiary Risk(s)	None Allocated
Packing Group	None Allocated	Hazchem Code	None Allocated	EPG	None Allocated

# **3. COMPOSITION/ INFORMATION ON INGREDIENTS**

Ingredient	Formula	CAS No.	Content
CARBON BLACK	С	1333-86-4	<15%
2-BROMO-2-NITROPROPANE-1,3-DIOL	C3-H6-Br-N-04	52-51-7	<0.05%
WATER	H2O	7732-18-5	<46%
GUM ARABIC	Not Available	9000-01-5	<24%
ALUMINIUM HYDROXIDE	AI-H3-O3	21645-51-2	<10%
GLYCEROL (GLYCERINE)	C3-H8-O3	56-81-5	<10%
SILICON DIOXIDE	Si-O2	7631-86-9	<5%

# 4. FIRST AID MEASURES

Еуе	If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
Inhalation	If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.
Skin	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre or a doctor.
Ingestion	For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). If swallowed, do not induce vomiting.
Advice to Doctor	Treat symptomatically

## **5. FIRE FIGHTING MEASURES**

Flammability	Non flammable. May evolve toxic gases if strongly heated.
Fire and Explosion	No fire or explosion hazard exists.
Extinguishing	Prevent contamination of drains or waterways.
Hazchem Code	None Allocated

#### 6. ACCIDENTAL RELEASE MEASURES

**Spillage** If spilt, collect and reuse where possible. Use personal protective equipment. Contain spillage, then collect and place in suitable containers for disposal. Clean spill site with water.

#### 7. STORAGE AND HANDLING

# **Storage** Store in a cool, dry, well ventilated area, removed from oxidising agents, alkalis, acids and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.

**Handling** Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

### 8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

Exposure Stds	In averalisms	Deference		TWA		STEL	
	Ingredient	Reference	ppm	mg/m3	ppm	mg/m3	
	Carbon black	ASCC (AUS)		3			
	Glycerin mist (a)	ASCC (AUS)		10			
<b>Biological Limits</b>	No biological limit allocated.						

 Engineering
 Avoid inhalation. Use in well ventilated areas.

 Controls
 PPE

 PPE
 Personal Protective Equipment is not required under normal conditions of use.With prolonged use, wear: rubber or PVC gloves.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	BLACK COLOURED PASTE	Solubility (Water)	SOLUBLE
Odour	SLIGHT ODOUR	Specific Gravity	NOT AVAILABLE
рН	7 to 8	% Volatiles	NOT AVAILABLE
Vapour Pressure	NOT AVAILABLE	Flammability	NON FLAMMABLE
Vapour Density	NOT AVAILABLE	Flash Point	NOT RELEVANT
Boiling Point	110°C	Upper Explosion Limit	NOT RELEVANT
Melting Point	NOT AVAILABLE	Lower Explosion Limit	NOT RELEVANT
Evaporation Rate	NOT AVAILABLE		
Density	1.35 g/mL		

### **10. STABILITY AND REACTIVITY**

Chemical Stability	Stable under recommended conditions of storage.
Conditions to Avoid	Avoid contact with incompatible substances.
Material to Avoid	Incompatible with oxidising agents (eg. hypochlorites), acids (eg. nitric acid) and alkalis (eg. hydroxides).
Hazardous Decomposition Products	May evolve toxic gases if heated to decomposition.
Hazardous Reactions	Polymerization is not expected to occur.

#### **11. TOXICOLOGICAL INFORMATION**

Health Hazard Summary	Low toxicity. Under normal conditions of use, adverse health effects are not anticipated. Due to the product form and low volatility, an inhalation hazard is not anticipated unless product is heated. This product contains Carbon black but due to product form, no adverse health effects are anticipated. Carbon black is classified as possibly carcinogenic to humans (IARC Group 2B).
Eye	Low irritant. Contact may result in irritation, lacrimation and redness.
Inhalation	Exposure considered unlikely. Due to product form and nature of use, an inhalation hazard is not anticipated with normal use.
Skin	Low irritant. Prolonged or repeated contact may result in mild irritation.
Ingestion	Low toxicity. Ingestion is considered unlikely due to product form. However, ingestion via hand-mouth transfer

# Product Name MONT MARTE WATERCOLOUR PAINT 12 PCE (IVORY BLACK)

Toxicity Data

may result in gastrointestinal irritation, nausea and vomiting. Maintain good personal hygiene standards.

CARBON BLACK (1333-86-4) Carcinogenicity: Possibly carcinogenic to humans (IARC Group 2B) 2-BROMO-2-NITROPROPANE-1,3-DIOL (52-51-7)

LC50 (Inhalation): > 5 g/m3/6 hours (rat) LD50 (Ingestion): 180 mg/kg (rat) LD50 (Intraperitoneal): 26 mg/kg (rat) LD50 (Intravenous): 37.4 mg/kg (rat) LD50 (Skin): 1600 mg/kg (rat) LD50 (Subcutaneous): 116 mg/kg (mouse) GUM ARABIC (9000-01-5) LD50 (Ingestion): 8000 m]g/kg (rabbit) TDLo (Ingestion): 350,000 mg/kg (rat) ALUMINIUM HYDROXIDE (21645-51-2) LDLo (Intraperitoneal): 150 mg/kg (rat) TDLo (Ingestion): 79 g/kg/2 years - intermittent (child) GLYCEROL (GLYCERINE) (56-81-5) LD50 (Ingestion): 4090 mg/kg (mouse) LD50 (Intraperitoneal): 4420 mg/kg (rat) LD50 (Intravenous): 4250 mg/kg (mouse) LD50 (Subcutaneous): 91 mg/kg (mouse) TDLo (Ingestion): 1428 mg/kg (human)

#### **12. ECOLOGICAL INFORMATION**

**Environment** Limited ecotoxicity data was available for this product at the time this report was prepared. Ensure appropriate measures are taken to prevent this product from entering the environment.

#### **13. DISPOSAL CONSIDERATIONS**

Waste Disposal For small amounts absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the manufacturer for additional information if larger amounts are involved.

**Legislation** Dispose of in accordance with relevant local legislation.

#### **14. TRANSPORT INFORMATION**

#### NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

Shipping Name	None Allocated				
UN No.	None Allocated	DG Class	None Allocated	Subsidiary Risk(s)	None Allocated
Packing Group	None Allocated	Hazchem Code	None Allocated	EPG	None Allocated

#### **15. REGULATORY INFORMATION**

**Poison Schedule** A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

AICS All chemicals listed on the Australian Inventory of Chemical Substances (AICS).

#### **16. OTHER INFORMATION**

Additional Information	ABBREVIATIONS: ADB - Air-Dry Basis. BEI - Biological Exposure Indice(s) CAS# - Chemical Abstract Service number - used to uniquely identify chemical compounds. CNS - Central Nervous System. EINECS - European INventory of Existing Commercial chemical Substances. IARC - International Agency for Research on Cancer. M - moles per litre, a unit of concentration. mg/m3 - Milligrams per cubic metre. NOS - Not Otherwise Specified. NTP - National Toxicology Program. OSHA - Occupational Safety and Health Administration. pH - relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline). ppm - Parts Per Million. RTECS - Registry of Toxic Effects of Chemical Substances. TWA/ES - Time Weighted Average or Exposure Standard.
	TWATED - Time Weighted Average of Exposure Standard.

Product Name MONT MARTE WATERCOLOUR PAINT 12 PCE (IVORY BLACK)

#### HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

#### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this Chem Alert report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**Report Status** This document has been compiled by RMT on behalf of the manufacturer of the product and serves as the manufacturer's Material Safety Data Sheet ('MSDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer.

While RMT has taken all due care to include accurate and up-to-date information in this MSDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this MSDS.

Prepared ByRisk Management Technologies<br/>5 Ventnor Ave, West Perth<br/>Western Australia 6005<br/>Phone: +61 8 9322 1711<br/>Fax: +61 8 9322 1794<br/>Email: info@rmt.com.au<br/>Web: www.rmt.com.au

MSDS Date: 09 Nov 2009 End of Report

> Page 4 of 4 RMT Reviewed: 09 Nov 2009 Printed: 09 Nov 2009