BLACKWATTLE POTTERY

P.O. BOX 510 INGLEBURN N.S.W. 2565 **Telephone 02 98295555** Fax 02 98296055

MATERIAL SAFETY DATA SHEET

Business:

BLACKWATTLE POTTERY P.O. BOX 510 INGLEBURN NSW 2565

> Phone 02 98295555 Fax 02 98296055

BLACKWATTLE POTTERY PAPER CLAY

Based on available information, (provided the product is handled in accordance with this Safety Data Sheet, and used as supplied i.e. moist) is not classified as hazardous according to criteria of NOHSC. Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

IDENTIFICATION

PRODUCT NAME:	BLACKWATTLE POTTERY MAD CLAY
CODE:	MAD

COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical Name	CAS number	Proportion
CLAY	1332-58-7	< 60%
SILICA (QUARTZ)	14808-60-7	< 40%
FELDSPAR	68476-25-5	< 10%
CALCIUM CARBONATE	1317-65-3	< 20%
CELLULOSE FIBRE		< 30%

USES: PLASTIC MODELLING CLAY FOR SCULPTING, HAND FORMING, THROWING, COILING OR PINCHING.

NOV.2011

MATERIAL SAFETY DATA SHEET

PHYSIAL PROPERTIES:

Appearance:	White block of soft clay in clear plastic packaging	
Odour:	Negligible	
Boiling Point:	N/A	
Melting Point	>1300oC	
Vapour Pressure:	N/A	
Specific Gravity:	N/A	
Flashpoint:	N/A	
Flammability:	Does not burn	
Solubility in water:	Negligible	

HEALTH HAZARD INFORMATION

Health effects: Acute: Ingestion	Considered an unlikely route of entry in commercial/industrial environments. Mildly discomforting if swallowed in large doses.	
Inhalation	Breathing dust from this dry product may cause respiratory irritation and discomfort. Danger of cumulative effects.	
Skin and Eye	Dust may irritate eyes and skin. Acts as nuisance dust.	
Chronic:		
Chronic Exposure	Prolonged exposure to dust from this product when dry may lead to pulmonary problems. Danger of cumulative effects.	

Repeated inhalation of **dust** containing crystalline silica may cause bronchitis, silicosis (scarring of the lung) and lung cancer and increase the risk of scleroderma.

NOV.2011

MATERIAL SAFETY DATA SHEET

HEALTH HAZARD INFORMATION

First Aid measures:

Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician	
	if irritation persists.	
Ingestion	Rinse mouth. Do not induce vomiting. Seek medical advice.	
Inhalation	Move to fresh air. If breathing has stopped, apply artificial respiration and seek medical attention.	
Skin contact	Wash off with soap and water.	
Advice to Doctor	There is a danger of cumulative effects through ingestion and/or inhalation of clay dusts with prolonged or repeated exposures. Treat symptomatically.	

PRECAUTIONS FOR USE

Exposure Standards

CAS 1332-58-7	TLV TWA:	bestos and <1% crystalline silica 2mg/m3respirable dust
	Classified by ACGIH as A4 ES TWA:	10mg/m3 inspirable dust
CAS 14808-60-7	Silica, crystalline, Quartz NOHSC TWA:	0.2 mg/m3
CAS 68476-25-5	No exposure limits set by NC Dusts not otherwise classified ES TWA:	
CAS 1317-65-3	Natural Calcium Carbonate (TLV. TWA:	CaCO3) 5 mg/m3respirable dust.
Personal Protection		
VENTILATION:	Use local exhaust ventilation this product.	to keep air contaminates below their TWAs while using
PERSONAL		
PROTECTION:	Safely glasses/goggles Rubber work gloves Apron or overalls Face mask or respirator confe	orming to AS1715 for dust
WORK PRACTISES	Work with this product only	when it is moist
	Avoid generating dust Do not breathe or eat dust	
	Use only with adequate venti	lation
	Wash thoroughly before eating	eg, drinking, smoking or applying cosmetics. NOV.2011

MATERIAL SAFETY DATA SHEET

SAFE HANDLING INFORMATION

Accidental release measures:

Clean up/Disposal For small spills, pick up as much as possible, wipe area clean with damp sponge. For large spills, pick up as much as possible, dispose of in closed containers, wash area with plenty of water. Floors and work areas should be mopped with water. Do not sweep work areas with a broom. Avoid the creation of airborne dust.

Environment No special environmental precautions required.

Personal Protection Wear apron or overalls, rubber gloves, chemical gloves or safety glasses.

Handling and storage:

Wear personal protective equipment. Wash thoroughly after handling. Keep bags sealed when not in use. Store away from consumables. Store in a cool place, away from heat and sunlight.

FIRE/EXPLOSION HAZARD

No limitations for fighting around fire Product is not combustible. Not considered to be a significant fire risk.

TRANSPORT INFORMATION

This product is not classified for transport as a dangerous good as defined in the ADG code or the IMDG code.

Contact phone number (02) 98295555 (bus. hours)

The information contained in this Safety Data Sheet is correct to the best of our knowledge at the date of publication and whilst every care has been exercised in the preparation, Blackwattle Pottery accepts no responsibility for any use which may be made of the contents

NOV.2011